

IGF-I mAb

AB-309-AI054

Pricing: \$600 - 100 μg

Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | Insulin-Like Growth Factor-I |
|---------------------------|------------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|---|
| Immunogen | IGF-I Peptide |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| 147 · | | |

Western Blotting

Immunohistochemistry

Neutralizing Ab





Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | IGFBP-2 |
|---------------------------|---------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|---|
| lmmunogen | Recombinant IGFBP-2 |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |


PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |





Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | IGFBP-2 |
|---------------------------|---------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|---|
| Immunogen | Recombinant IGFBP-2 |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| 147 · | | |

Western Blotting

Immunohistochemistry

Neutralizing Ab





Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | IGFBP-5 |
|---------------------------|---------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|--|
| Immunogen | Recombinant IGFBP-5 |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|------------------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| Western Blotting | | |

Immunohistochemistry

Neutralizing Ab





Inquire about other package sizes and bulk pricing.

| DESCRIPTION |
|-------------|
|-------------|

| C:::-::-:: | ICEDD O |
|---------------------------|---------------------------|
| Specificity | IGFBP-3 |
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|---|
| Immunogen | Recombinant IGFBP-3 |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|----------------------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| Western Blotting | Recommended | 1-5 μg/mL |
| Immunohistochemistry | | |

Neutralizing Ab



Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | IGFBP-3 |
|---------------------------|---------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 µg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|---|
| Immunogen | Recombinant IGFBP-3 |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|------------------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| Western Blotting | | |

Immunohistochemistry

Neutralizing Ab





Pricing: \$720 - 100 μg Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | IGFBP-3 |
|---------------------------|---------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|---|
| Immunogen | Recombinant IGFBP-3 |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| | | |

Western Blotting

Immunohistochemistry

Neutralizing Ab



IGF-II mAb

AB-312-AI061

Pricing: \$600 - 100 μg

Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | Insulin-Like Growth Factor-II |
|---------------------------|-------------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|--|
| lmmunogen | IGF-II Peptide |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|------------------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| Western Blotting | | |

Immunohistochemistry

Neutralizing Ab



IGF-II mAb

AB-312-AI062

Pricing: $$600 - 100 \mu g$

Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | Insulin-Like Growth Factor-II |
|---------------------------|-------------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human |
|--------------------|--|
| lmmunogen | IGF-II Peptide |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. |
|---------------------|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| NA | | |

Western Blotting

Immunohistochemistry

Neutralizing Ab





.

Pricing: $$600 - 100 \mu g$

Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | Insulin-Like Growth Factor-I |
|---------------------------|------------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human, Rat, Mouse |
|--------------------|--|
| Immunogen | Recombinant IGF-I |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific – refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without preservatives. |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. | |
|---------------------|--|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. | |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. | |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-----------------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| Moston Dietting | | |

Western Blotting

Immunohistochemistry

Neutralizing Ab



IGF-I mAb

AB-309-AI029

Pricing: \$600 - 100 μg

Inquire about other package sizes and bulk pricing.

DESCRIPTION

| Specificity | Insulin-Like Growth Factor-I |
|---------------------------|------------------------------|
| Source | Murine |
| Product Form / Appearance | Clear, Colorless solution |
| Product Type | Monoclonal Antibody |
| Isotype | lgG1 |
| Package Size | 100 μg |

SPECIFICATIONS

| Species Reactivity | Human, Rat, Mouse |
|--------------------|--|
| Immunogen | IGF-I Peptide |
| Purification | Purified from hybridoma culture supernatant using Protein G. |
| Concentration | Batch Specific - refer to Certificate of Analysis report |
| Activity | Determined by direct ELISA |
| Composition | Reconstitute to the appropriate working dilution for your intended application using 10mM Phosphate Buffered Saline at pH7.4 without |

PREPARATION AND STORAGE

| Reconstitution | Not Applicable. Provided in liquid format. | |
|---------------------|--|--|
| Shipping Conditions | This product is shipped on dry ice. Upon receipt, store it immediately at the temperature recommended below. | |
| Storage | Store at -20°C to -80°C as supplied. Avoid repeated freeze-thaw cycles. | |

APPLICATIONS

This product has been reported to work in the following applications. This information is derived from testing within our laboratory, peer-reviewed publications or personal communications from the originators. Optimal dilutions should be determined by each laboratory for each application.

| | Status | Recommended Concentration |
|-------|-------------|---------------------------|
| ELISA | Recommended | 10 μg/mL |
| NA | | |

Western Blotting

Immunohistochemistry

Neutralizing Ab